Vaccination Schedule

Well-Child Check-up & Shots: Children from birth to 17 years old

At your child's Well Visit, talk with their doctor about what shots are right for them. If they are behind, your doctor can make a plan. Make sure to tell your doctor if your child will be traveling out of the U.S. — they may need extra shots.

Do not forget to talk about the flu shot.

Well-Child check-up

Shots

Lab work

Ask about the flu shot and COVID vaccine

Ask about the seasonal RSV shot

Screenings:

Hearing

Vision

Age	Recommended Vaccines & Tests
Birth	(Hep B, Vitamin K)
3-5 days	
1 month	
2 months	(DTaP, Hep B, Hib, PCV13, Rotavirus, IPV)
4 months	(DTap, Hib, PCV13, Rotavirus, IPV)
6 months	(DTaP, Hep B, Hib, PCV13, Rotavirus, IPV, Fluoride Varnish)
9 months	
12 months	(Lead Screening and Anemia, MMR, Hep A, Varicella, Hib, PCV13, Fluoride Varnish)
15-18 months	(DTap)
2 years	(Lead Screening, Fluoride Varnish)
3 years	(Fluoride Varnish)
4 years	(DTaP, IPV, Varicella, MMR, Fluoride Varnish)
5 years	(DTaP, IPV, Varicella, MMR, Fluoride Varnish)
6-10 years	(Fluoride Varnish, Cholesterol Screening between ages 9-11)
11 years	(HPV – in 2 doses given 5 months apart or 3 doses if needed; Tdap, MCV)
12 years	2
13 years	
14-15 years	
16 years	(MCV booster, Meningococcal B)
17 years	② ③

DTaP – Diphtheria, Tetanus, Pertussis. Hep A/B – Hepatitis A/B. Hib – Haemophilus influenza type B.
 HPV – Human papillomavirus. IPV – Polio vaccine. MCV – Meningococcal conjugate vaccine.
 MMR – Measles, Mumps, Rubella. PCV13 – Pneumococcal conjugate vaccine.
 RSV – Respiratory syncytial virus. Tdap – Diphtheria, Tetanus, Pertussis.